


| REVISION RECORD | | | | |
|-----------------|-----|-------------|------|------|
| REV | ECN | DESCRIPTION | DRFT | DATE |
| | | | | |



NOTES1:
UL Standard
1.Wire range : 28~16AWG

IEC Standard



- | | |
|--------------------------|-------|
| Pollution degree | 3 |
| Overtoltage category | III |
| Rate impulse voltage(KV) | 8.0KV |
| Rate voltage(V) | / V |
| Rate current(A) | / A |

2.Wire range : 0.2~1.5mm²

NOTES2:
1.Dimension shall be interpreted per ASME Y14.5-2009
2.Pitch : 4mm, Poles : 01P
3.Stripping length : 9~10mm
4.Operating temperature: -40°C~+105°C
5.Undimensioned tolerances:

| Pitch range in mm | | Nominal dimension range in mm | | | | Tolerances | | |
|-------------------|-------|-------------------------------|-------|-------|-------|------------|-------|-----|
| To | Over | To | Over | To | Over | 0.1/10 | ≤ | |
| 6 | 10 | 6 | 10 | 30 | 60 | 100 | 150 | ±2' |
| ±0.15 | ±0.20 | ±0.30 | ±0.30 | ±0.50 | ±0.70 | ±1.00 | ±1.30 | |

6.RoHS Compliance



WS1.5-QU-PE - 01P - 1C - 00A (H)
 (Series No.) (Poles) (Single Pitch) (Color):Yellow-Green
 (RoHS)
 00A-(Standard)

| | | | | | |
|------------------------|-----------|---|----------------------|-------|-----|
| DETACHED LISTS | PART NO.: | 宁波高松电子有限公司 NINGBO DEGSON ELECTRICAL CO., LTD | | | |
| | APPD: | NAME: WS1.5-QU-PE-01P-1C-00A(H) | | | |
| | CHKD: | TITLE: CUSTOMER DRAWING | | REV | DO |
| | DRFT: | DRAWING NO.: | | SHEET | 1/1 |
| THIRD ANGLE PROJECTION | | MM (INCH) | DO NOT SCALE DRAWING | SCALE | 1:1 |